

## SAFETY DATA SHEET

# White Wax

### 1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** White Wax  
**Use / description:** Professional use wall polish.  
**Company name:** Armourcoat Surface Finishes  
Morewood Close, London Road  
Sevenoaks, Kent TN13 2HU  
United Kingdom  
Tel: +44 (0)1732 460668  
Fax: +44 (0)1732 450930

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

- Hazardous ingredients:**
- STRAIGHT RUN Kerosine - Solvent Naphtha (Petroleum), Medium Aliph. 50 - 70%  
EINECS: 265-191-7 CAS: 64742-88-7  
[Xn] R65; [Xi] R38; [N] R51/53
  - Turpentine Oil 10-30%  
EINECS: 232-350-7 CAS: 8006-64-2  
[-] R10; [Xn] R20/21/22; [Xi] R36/38; [Sens.] R43; [N] R51/53; [Xn] R65

### 3. HAZARDS IDENTIFICATION

**Main Hazards:** Flammable. Irritating to skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact. The eyes may water profusely.  
**Eye contact:** There may be irritation and redness.  
**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.  
**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

### 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.  
**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## SAFETY DATA SHEET

# White Wax

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 7. HANDLING AND STORAGE

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

**Storage conditions:** Store in cool, dry, well ventilated area. Keep container tightly closed.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Hazardous ingredients:**

- STRAIGHT RUN KEROSENE - SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPH. WEL (8 hr exposure limit): 600mg/m<sup>3</sup>
- TURPENTINE OIL  
WEL (8 hr exposure limit): 566 mg/m<sup>3</sup> WEL (15 min exposure limit): 850 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** White

**Odour:** Perceptible odour

**Flash point °C** 30

Issued: 17/05/2006

## SAFETY DATA SHEET

Revision No 1

# White Wax

Page 3 of 4

### 10. STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions.
- Conditions to avoid:** Heat.
- Materials to avoid:** Strong oxidizing agents. Strong acids.
- Haz. Decomp. Products:** In combustion emits toxic fumes.

### 11 TOXICOLOGICAL INFORMATION

- Hazardous ingredients:** TURPENTINE OIL  
IVN MUS LD50 1180 µg/kg  
ORL RAT LD50 5760 mg/kg
- Chronic toxicity:** May cause sensitization by skin contact.
- Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

### 12. ECOLOGICAL INFORMATION

- Mobility:** Readily absorbed into soil.
- Persistence and degradability:** Biodegradable.
- Bioaccumulative potential:** No bioaccumulation potential.
- Other adverse effects:** Negligible ecotoxicity.

### 13. DISPOSAL CONSIDERATIONS

- NBI:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### 14. TRANSPORT INFORMATION

#### ADR / RID

<b>UN no:</b> 1263	<b>ADR Class:</b> 3
<b>Packing Group:</b> III	<b>Classification code:</b> F1
<b>Shipping name:</b> PAINT	
<b>Labelling:</b> 3	<b>Hazard ID no:</b> 30



#### IMDG / IMO

<b>UN no:</b> 1263	<b>Class:</b> 3
<b>Packing Group:</b> III	<b>EmS:</b> F-E, S-E*
<b>Marine pollutant:</b> .	<b>Labelling:</b> 3

Issued: 17/05/2006

## SAFETY DATA SHEET

Revision No 1

# White Wax

Page 4 of 4

### IATA / ICAO

<b>UN no:</b> 1263	<b>Class:</b> 3
<b>Packing Group:</b> III	<b>EmS:</b> 309(P&CA); 310(CAO)
<b>Labelling:</b> 3	

### 15. REGULATORY INFORMATION

**Hazard symbols:**



Harmful



Dangerous for the environment

**Risk Phrases:** R10: Flammable.  
R38: Irritating to skin.  
R43: May cause sensitization by skin contact.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65: Harmful: May cause lung damage if swallowed.

**Safety phrases:** S24: Avoid contact with skin.  
S37: Wear suitable gloves.  
S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16 OTHER INFORMATION

**Risk phrases used in s.2:** R65: Harmful: May cause lung damage if swallowed.  
R38: Irritating to skin.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R10: Flammable.  
R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.  
R36/38: Irritating to eyes and skin.  
R43: May cause sensitization by skin contact.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.